

# Mark Scheme (Results)

November 2017

Pearson Edexcel GCSE (9 – 1) In Mathematics (1MA1) Foundation (Non-Calculator) Paper 1F



#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.btec.co.uk">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

## Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

November 2017
Publications Code 1MA1\_1F\_1711\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2017

### General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.
  - Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

#### 3 Crossed out work

This should be marked **unless** the candidate has replaced it with an alternative response.

#### 4 Choice of method

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line then mark both methods as far as they are identical and award these marks.

#### 5 Incorrect method

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

#### 6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

## 7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks). It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

## 8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

## 9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

## 10 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.

Guida	nce on the use of abbreviations within this mark scheme					
М	method mark awarded for a correct method or partial method					
P	process mark awarded for a correct process as part of a problem solving question					
A	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)					
С	communication mark					
В	unconditional accuracy mark (no method needed)					
oe	or equivalent					
cao	correct answer only					
ft	follow through (when appropriate as per mark scheme)					
sc	special case					
dep	dependent (on a previous mark)					
indep	independent					
awrt	answer which rounds to					

isw

ignore subsequent working

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
1 (a)		3.65	B1	cao			
(b)		2700	B1	cao			
2		72	B1	cao			
3		42	B1	cao			
4		-9,2	B1	cao accept either order.			
5		47	B1	cao			
6		L = 5a + 3	M1	for expression $a - 1 + a + a + a + a + a + a + a + a + a +$			
			M1	for $5a + 3$ or $L = a + a + a - 1 + a + a + 4$ oe			
			A1	for $L = 5a + 3$			
7 (a)		(6, -2)	B1	cao			
(b) i		Correct point	B1	cao for point marked at (2, 9)			
(b) ii		Yes with reasoning	B1	Yes with correct substitution 4×2+1=9 <b>or</b> by drawing correct line on diagram			
(c)		Correct line	B1	for drawing line $x = -2$ cao			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
8		4 × 8 rectangle drawn	M1	Draws a rectangle with side lengths in the ratio 2:1 <b>or</b> lists possible dimensions in the ratio 2:1 <b>or</b> gives two numbers which multiply to 32			
			A1	for correct diagram on grid			
9		Identifies error in method	C1	Explanation of error eg she should have multiplied 348 by 2 not divided			
10 (a)		Jake with reason	C1	Explanation referring to spread eg range <b>or</b> Jakes figures are closer together <b>or</b> highest and lowest values for both.			
(b)		Reason	C1	Reason eg stem not used or it should be 26			
11 (a)	30 ÷ 8	4	P1	for $30 \div 8$ or $3.75$ or $3$ or counting up 8s towards 30 to at least 3 lots of 8 or $4 \times 8 (=32)$ oe			
			A1	cao			
(b)		No with reason	C1	No with $32 \div 8$ or ft from (a)			
12 (a)	<b>12</b> 7 19	Correct table	В3	Fully correct table			
	18 <b>8</b> 26		(B2	for 5, 6, 7 or 8 figures correct)			
	<b>30</b> 15 <b>45</b>		(B1	for given values entered correctly in the table <b>or</b> for a correct row <b>or</b> column)			
(b)		8 45	B1	for $\frac{8}{45}$ or ft from values in table eg $\frac{"8"}{"45"}$			

Paper 1MA1	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
13		343	P1	for finding area of one face eg $294 \div 6 (= 49)$			
			P1	for $\sqrt{"49"}$ (=7)			
			P1	for "49" × "7" <b>or</b> for "7" × "7" × "7" oe			
			A1	cao			
14		<u>5</u> 7	P1	for $\frac{7}{5} = 1.4$ or $\frac{5}{7} = 0.7$ or compares $\frac{1}{7}$ to $\frac{1}{5}$ or compare $\frac{5}{7}$ to 1 eg $1 - \frac{5}{7}$ (= $\frac{2}{7}$ ) or compare $\frac{7}{5}$ to 1 eg $\frac{7}{5} = 1\frac{2}{5}$ or eg $\frac{49}{35}$ or $\frac{14}{35}$ or $\frac{25}{35}$ oe			
		supported	P1	for $\frac{7}{5} = 1.4$ and $\frac{5}{7} = 0.7$ <b>or</b> compares $\frac{5}{7}$ to 1 eg $1 - \frac{5}{7} (=\frac{2}{7})$ and $\frac{7}{5}$ to 1 eg $\frac{7}{5} = 1\frac{2}{5}$ <b>or</b> two correct fractions with common denominator eg $\frac{49}{35}$ and $\frac{25}{35}$			
			C1	for $\frac{5}{7}$ with supporting evidence			
15		45	M1	for a correct first step eg $\frac{9}{7+4+9} \left( = \frac{9}{20} \right)$ or $\frac{100}{7+4+9} \left( = 5 \right)$ or a full method for one of the other colours			
			A1	cao			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
16 (a)		Explanation	C1	eg States over-estimated for both values			
(b)		182.7(0)	P1	for a process to find 10% of a value stated in the question eg $\frac{10}{100}$ ×5.80 (=0.58) or $\frac{10}{100}$ × 35 (=3.5) oe or 35 × 5.80 (=203), allow 30 × 5.80 (=174) or 35 × [reduced price]			
			P1	for a process to find 90% of a value stated in the question eg 35 – "3.5" (=31.5) or $0.9 \times 5.80$ (=5.22) oe or $\frac{10}{100} \times$ "203" (=20.3) or $\frac{10}{100} \times$ "174" (=17.4) oe			
			P1	for a complete process to find actual cost of 35 eg $0.9 \times 5.80 \times 35$ oe			
			A1	cao			
				SC B2 156.6(0)			
17		$\frac{4}{9}$	M1	for listed outcomes (allow 1 error eg omission or repeat) <b>or</b> fractions $\frac{1}{3} \times \frac{2}{3} + \frac{2}{3} \times \frac{1}{3}$			
			A1	$for \frac{4}{9} oe$			
18		135	M1	for $450 \div "2+3+5"$ (=45) or $\frac{3}{10} \times 450$ (=135) or 5 parts are 225 or 2 parts are 90			
			A1	indicated Cao			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
19		180, 210, 375, 3	M1	for $\frac{24}{16}$ or 1.5 or $\frac{16}{24}$ oe or 0.5 of any figure in the recipe calculated or amount of any ingredient for 1 flapjack or 3 (tablespoons)			
			M1	for method to scale at least one ingredient in grams eg $120 \times 1.5$ or $140 \times 1.5$ or $250 \times 1.5$			
			A1	for all quantities correct			
20		Ami	M2	for an approximate calculation eg $\frac{600}{16+5}$ or $\frac{600}{21}$ or $\frac{600}{20}$ or $\frac{600}{20+5}$ or $\frac{600}{25}$ or $\frac{600}{25+5}$ or $\frac{600}{30}$ or $\frac{595}{20}$			
		with estimate	(M1	for using 600 <b>or</b> 5 <b>or</b> 4)			
			C1	Ami's answer /27.1115 is closest with accurately calculated figure from approximation			
21		1.8 × 10 <sup>-3</sup>	M2	for $\frac{6 \times 10^{-2} \times 3 \times 10^{-4}}{1 \times 10^{-2}}$ or $18 \times 10^{-4}$ or $0.0018$ as the answer			
			(M1	for $6 \times 0.0003$ or $0.06 \times 0.03$ or $1.8 \times 10^n (n \neq -3)$ or $0.000018 \div 0.01$ or rewriting one number in standard form)			
			A1	cao			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
22 (a)	$\frac{8}{20} + \frac{5}{20}$	13 20	M1	for suitable common denominator with one fraction out of two correct or $0.4 + 0.25$			
			A1	for $\frac{13}{20}$ <b>or</b> 0.65 oe			
(b)		$\frac{1}{8}$	B1	Accept 0.125			
23		2×2×3×3	M1	for complete method to find prime factors; could be shown on a complete factor tree with no more than 1 arithmetic error or 2,2,3,3,(1)			
			A1	for $2\times2\times3\times3$ oe			
24		14:21:42	P1	for 2 out of 3 expressions in one letter eg from $x$ , $x+7$ $2x+14$ or see a set of numbers to show interpretation of the relationships, eg 10, 17, 34			
			P1	(dep) for sum of their 3 expressions =77 eg $x + x + 7 + 2x + 14 = 77$ oe <b>or</b> 2 systematic correct trials including addition			
			P1	for a correct process to isolate their term in $x$ or $x=14$			
			A1	for ratio 14:21:42 oe			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
25	CB extended to form CG	Reasoning	B1	for 35 <b>or</b> 75 <b>or</b> 145 <b>or</b> 105 <b>or</b> <i>DEF</i> = 70, marked on the diagram or 3 letter description			
			M1	for $180-70-35$ <b>or</b> $180-75-35$ <b>or</b> a correct pair of angles that would lead to 75 or 70, eg $AFB = 35$ and $FAB = 75$ <b>or</b> $AFB = 35$ and $ABG = 75$ <b>or</b> $FBC = 35$ and $ABG = 75$ <b>or</b> $EDF = 75$ and $DEF = 70$ <b>or</b> $FDC = 105$ and $FBC = 35$ <b>or</b> $ABC = 105$ and $ABC = 35$			
			C2	(dep on B1M1) All figures correct with all appropriate reasons stated. Angles must be clearly labelled or on the diagram. Full solution must be seen			
			(C1	(dep on B1 or M1) for one reason clearly used and stated.) <u>Corresponding</u> angles are equal, <u>alternate</u> angles are equal, <u>opposite angles</u> in a <u>parallelogram</u> are equal, <u>angles</u> in a <u>triangle</u> sum to 180, <u>angles</u> on a straight <u>line</u> sum to 180, vertically <u>opposite angles</u> are equal, <u>vertically opposite</u> angles are equal, <u>angles</u> in a <u>quadrilateral</u> sum to 360, <u>co-interior</u> angles sum to 180, <u>allied</u> angles sum to 180, <u>angles</u> around a <u>point</u> sum to 360			

Paper 1MA	Paper 1MA1: 1F						
Question	Working	Answer	Mark	Notes			
26		Daisy is wrong	P1	for process to find area of any relevant circle ie $\pi \times 4^2 (=16\pi)$ , $\pi \times 7^2 (=49\pi)$ , $\pi \times 10^2 (=100\pi)$ or $7^2$ and $4^2$			
		(supported)	P1	for completed method to find shaded area eg " $\pi \times 7^2$ " – " $\pi \times 4^2$ " (=33 $\pi$ ) or use of radii eg $7^2 - 4^2$ (=33)			
			A1	for 2 comparable figures, eg $33\pi$ and $100\pi$ or 33 and 100 or 103 to 103.7 and 314 to 314.2 or 103 to 103.7 and 104.6 to 104.8			
			C1	statement eg No because it should be $\frac{33}{100}$ and their accurate figures Allow use of $\pi = 3$ or better			
27 (a)		365	M1	fx with x consistent within intervals eg $200 \times 1$ , $300 \times 11$ , $400 \times 5$ , $500 \times 0$ , $600 \times 3$ , if $200$ , $3300$ , $2000$ , $0$ , $1800$ are seen without working then condone 1 error			
			M1	(dep) $\Sigma fx \div \Sigma f$ eg "7300" ÷ 20			
			A1	Cao			
(b)		Comment	C1	for comment about outliers affecting mean			

Paper 1MA1	l: 1F						
Question	Working	Answer	Mark		Notes		
28	-	Shows reasoning to reach <i>y</i> =3	M1	forms equation eg $2x + 6 = 5x - 9$	48÷3 (=16)	3(2x+6) = 48 or $3(5x-9) = 48$ , condone missing bracket	
			M1	isolates $x$ and number terms $3x = 15$	forms equation $2x+6="16"$ or $5x - 9= "16"$	Isolates $x$ and number terms $6x = "30"$ or $15x = "75"$	
			M1	substitutes "5" into side length eg 2 × 5 + 6 (=16)	isolates $x$ and number terms $2x = "10"$ or $5x = "25"$	forms the second equation	
			A1	48÷16=3 <b>or</b> 16×3=48	shows $x=5$ for both solutions	<i>x</i> =5 from 2 different equations.	
29		Comment	B1	for correct mathematical comment eg line segments not a curve <b>or</b> should draw freehand <b>or</b> should not use a ruler, <b>or</b> should be a curve			
				NB Do not accept statements about scale or plotting accuracy.			
30		4	M1	for a complete method eg $2.80 \times 100 \div (100-30)$ oe <b>or</b> $2.80 \div 0.7$ oe <b>or</b> for build up method but must show all intermediate steps unless all figures are correct eg $2.8 \div 7 = 0.4$ and " $0.40$ " × $10$ (=4)			
			A1	cao			

## Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

	R: 1MA	Modification	Mark scheme notes
4		Boxes enlarged	Standard mark scheme
6		Diagram enlarged. Braille only: the letter a has been changed to the letter r	Standard mark scheme but read a and r for braille.
7		Diagram enlarged. Cross changed to a solid dot. Wording added "It shows a grid".	Standard mark scheme
8		Diagram enlarged. Wording added 'It shows a grid of squares.' Wording changed to 'Draw the rectangle on the grid of squares. Each square on the grid represents a one centimetre square.'	Standard mark scheme.
10	(b)	Key moved above and to the left of the diagram. A horizontal line has been added to the bottom row of the stem and leaf diagram	Standard mark scheme.
12		Wording added 'There are nine spaces to fill.' Braille only: answer spaces have been labelled from (i) to (ix): Long hair: (iv), (viii), (vii) Short hair: (v), (iii), (vi) Total (ii), (ix), (i)	Standard mark scheme.

PAPER: 1M	PAPER: 1MA1_1F						
Question	Modification	Mark scheme notes					
17	Wording added 'It shows two boxes, Box A and Box B.' Diagram enlarged.  Boxes have been made into a rectangle and the cards have been placed inside the rectangles horizontally.  Braille only: the diagram has been removed and replaced with information about the diagram.	Standard mark scheme					
25	Diagram enlarged. Angles moved outside the angle arcs and the angle arcs made smaller. Arrow heads made longer and more obvious. Wording added 'AD is parallel to BC. AB is parallel to EC.'	Standard mark scheme					
26	Diagram enlarged. Cross changed to a solid dot. Shading changed to dotty shading.	Standard mark scheme					
27	Frequency column has been extended to allow for working	Standard mark scheme					
28	Diagram enlarged. Wording added 'All marked angles are right angles.' MLP only: x changed to e, y changed to f. Braille only: will label the corners of the rectangle A to D and will give information about the rectangle.	Standard mark scheme, except for MLP in the mark scheme read $e$ for $x$ , and $f$ for $y$ .					
29	Diagram enlarged. Crosses changed to solid dots.	Standard mark scheme					

arson Education Limited. Registered company number 872828 th its registered office at 80 Strand, London, WC2R ORL, United Kingdom	
no registered critical at do otraina, conden, week one, orinted kingdom	